## Index to Volume 52 (2001) **Authors and Titles**

Aboal M

See Moreno J L et al. 891

Acuña E H

See Villarroel J C et al. 833

Addison J T

See Bell M C et al. 1233

Adriano R

See Cruz R et al. 1263 and Cruz R et al. 1633

Agnalt A-L

See Jørstad K E et al. 1431

Alden D

See Connor R et al. 387

Aldrich A P, van den Berg C M G, Thies H,

The redox speciation of iron in two lakes.

Allen S E

See Moss G A et al. 1459

See Bulman C M et al. 537

Anderton S M

See Melville-Smith R et al. 1527

Andrade M J

See Villarroel J C et al. 833

Andrew N L

See Gillanders B M et al. 179 and Graham K J et al. 549

Appleyard S A

See Ward R D et al. 965

Attiwill P M, May B M

Does N limit the growth of eucalypt forests? 111

See Perez-Enriquez R et al. 1541

Babu M T

See Unnikrishnan A S et al. 727

Bacic A

See Chiovitti A et al. 917

Baelde P

Fishers' description of changes in fishing gear and fishing practices in the Australian South East Trawl Fishery. 411

See Cruz R et al. 1263

Baird A H, Pratchett M S, Gibson D J,

Koziumi N, Marquis C P

Variable palatability of coral eggs to a planktivorous fish. 865

Baird S J

See Francis M P et al. 165

Ball B

See Mercer J P et al. 1291

Bannister C A

See Bell M C et al. 1233

and Mercer J P et al. 1291

Barker B A

See Kloser R J et al. 475

Bax N J, Williams A

Seabed habitat on the south-eastern Australian continental shelf: context. vulnerability and monitoring. 491

Bax N J, Burford M, Clementson L. Davenport S

Phytoplankton blooms and production sources on the south-east Australian continental shelf. 451

See also Kloser R J et al. 475

and Williams A et al. 513 and Bulman C et al. 537 and Cui G et al. 691

Beet A

See Cowan D F et al. 1095

Bell M C, Addison J T, Bannister C A Estimating trapping areas from trap-catch data for lobsters and crabs. 1233

Berger D K, Butler M J IV

Octopuses influence den selection by juvenile Caribbean spiny lobster. 1049

Bertelsen R D, Matthews T R

Fecundity dynamics of female spiny lobster (Panulirus argus) in a south Florida fishery and Dry Tortugas National Park lobster sanctuary. 1559

Habitat preferences and behaviour of newly settled Jasus edwardsii (Palinuridae). 1055

Booth J D, Stotter D R, Forman J S, Bradford E

Juvenile abundance both mirrors and masks a settlement pulse of the rock lobster Jasus edwardsii. 1067 See also Jeffs A G et al. 1211

Bowman W

See Jones C M et al. 1425

Bradford E

See Booth J D et al. 1067

Bradford R W

See Young J W et al. 463 and Bruce B D et al. 631

Branch G M

See Mayfield S et al. 773

Briones-Fourzán P

See Lozano-Álvarez E et al. 1145

Britt A F, Smith R E, Gray D J

Element mobilities and the Australian regolith - a mineral exploration perspective. 25

Broadhurst M K

See Mattos S M G et al. 745

Browne R

See Mercer J P et al. 1291

Bruce B D, Condie S A, Sutton C A Larval distribution of blue grenadier (Macruronus novaezelandiae Hector) in south-eastern Australia: further evidence for a second spawning area. 603

Bruce B D, Neira F J, Bradford R W Larval distribution and abundance of blue and spotted warehous (Seriolella brama and S. punctata: Centrolophidae) in south-eastern Australia. 631

Bulman C, Althaus F, He X, Bax N J. Williams A

Diets and trophic guilds of demersal fishes of the south-eastern Australian shelf. 537

Bunn S E

See Udy J W et al. 347

Burford M

See Bax N J et al. 451

Butler M J IV

The 6th International Conference and Workshop on Lobster Biology and Management: an introduction, 1033

Butler M J IV, Dolan T, Herrnkind W, Hunt J Modelling the effect of spatial variation in postlarval supply and habitat structure on recruitment of Caribbean spiny lobster.

See also Berger D K et al. 1049 and Porter L et al. 1401

Camacho A, Vicente E, Miracle M R Ecology of Cryptomonas at the chemocline of a karstic sulfate-rich lake. 805

Campbell R A

See Punt A E et al. 819

Caputi N, Chubb C, Pearce A

Environmental effects on recruitment of the western rock lobster, Panulirus cygnus. 1167

See also Griffin D A et al. 1187 and Melville-Smith R et al. 1527

Caraco N F, Cole J J

Human influence on nitrogen export: a comparison of mesic and xeric catchments. 119

See also Cole J J et al. 101 Carranza-Edwards A

See Rosales-Hoz L et al. 259

Castro K M, Cobb J S, Wahle R A, Catena J Habitat addition and stock enhancement for American lobsters. Homarus americanus, 1253

Cate H S

See Derby C D et al. 1339 and Harrison P J H et al. 1357

Catena I

See Castro K M et al. 1253 Cawthorn A

See Gardner C et al. 1271

Chakalall B

See Cochrane K L et al. 1623 Chan T U, Hamilton D P Effect of freshwater flow on the succession

and biomass of phytoplankton in a seasonal estuary. 869

Charyulu R J K See Unnikrishnan A S et al. 727

Cheng Y W See Phillips B F et al. 1465

Childress M J, Herrnkind W F Influence of conspecifics on the ontogenetic habitat shift of juvenile Caribbean spiny lobsters. 1077 See also Ptacek M B et al. 1037

and Herrnkind W F et al. 1113

Chiovitti A, Kraft G T, Bacic A, Liao M-L Gelling polysaccharides from Australian seaweeds: research and potential. 917

Chiswell S M

See Jeffs A G et al. 1211

Chubb C F

See Caputi N et al. 1167 and Griffin D A et al. 1187 and Hall N et al. 1657

Clarke R

See Jolly I D et al. 53

Clarkson P S

See Shepherd S A et al. 311

Clementson L A

See Bax N J et al. 451 and Young J W et al. 463

Cobb IS

See Castro K M et al. 1253

Cochrane K L, Chakalall B

The spiny lobster fishery in the WECAFC region - an approach to responsible fisheries management. 1623

Cockeroft A C

Jasus lalandii 'walkouts' or mass strandings in South Africa during the 1990s: an overview. 1085

Cockeroft A C

See Hazell R W A et al. 1367

Cole J J, Caraco N F

Carbon in catchments: connecting terrestrial carbon losses with aquatic metabolism. 101 See also Caraco N F et al. 119

Condie S A

See Bruce B D et al. 603

Connor R, Alden D

Indicators of the effectiveness of quota markets: the South East Trawl Fishery of Australia. 387

Cowan D F, Solow A R, Beet A Patterns in abundance and growth of juvenile lobster, Homarus americanus. 1095

See also Ellis S L et al. 1103

Cowley P D, Whitfield A K

Fish population size estimates from a small intermittently open estuary in South Africa, based on mark-recapture techniques. 283

Crear B J, Forteath G N R

Flow-rate requirements for captive western rock lobsters (Panulirus cygnus): effects of body weight, temperature, activity, emersion, daily rhythm, feeding and oxygen tension on oxygen consumption. 763

Criales M M

See Yeung C et al. 1217

Croke B F W, Jakeman A J

Predictions in catchment hydrology: an Australian perspective. 65

Crozier W W

See Heaney S I et al. 151

Cruz R, Adriano R

Regional and seasonal prediction of the Caribbean lobster (Panulirus argus) commercial catch in Cuba. 1633

Cruz R, Díaz E, Báez M, Adriano R Variability in recruitment of multiple life stages of the Caribbean spiny lobster, Panulirus argus, in the Gulf of Batabanó, Cuba. 1263

Cui G, Bax N J, Punt A E, Knuckey I A Estimating gill-net selectivity for five species caught in the South East Fishery, Australia 691

See also Punt A E et al. 719

Cyrus D P

See Mackay C F et al. 267

Dahlgren C P

See Eggleston D B et al.

Daley R K

See Ward R D et al. 965

Daniel P C, Shineman M, Fischetti M Comparison of chemosensory activation of antennular grooming behaviour in five species of decapods. 1333

Davenport S

See Bax N J et al. 451 de Beer E

See Mayfield S et al. 773

Debuse V

See Mercer J P et al. 1291

Dennis D M, Pitcher C R, Skewes T D Distribution and transport pathways of Panulirus ornatus (Fabricius, 1776) and Panulirus spp. larvae in the Coral Sea, Australia. 1175

Derby C D, Steullet P, Horner A J, Cate H S The sensory basis of feeding behaviour in the Caribbean spiny lobster, Panulirus argus. 1339

See also Harrison P J H et al. 1357

Diaz F

See Cruz R et al. 1263

Dogramaci S S

See Herczeg A L et al. 41

See Butler M J IV et al. 1243

Dowling T I

See Jolly I D et al. 53

Drysdale R N

Factors controlling the hydrochemistry of Louie Creek, a travertine-depositing stream in the seasonally wet tropics of northern Australia. 793

Dunphy B J, Wells R M G Endobiont infestation, shell strength and condition index in wild populations of New Zealand abalone, Haliotis iris. 781

Dvce P See Jolly I D et al. 53

Edwards E D

See Thompson R M et al. 339 Eggleston D B, Dahlgren C P

Distribution and abundance of Caribbean spiny lobsters in the Key West National Wildlife Refuge: relationship to habitat features and impact of an intensive recreational fishery. 1567 See also Lipcius R N et al. 1589

Elliott N G

See Ward R D et al. 563

Ellis S L, Cowan D F

Volunteer-based monitoring of juvenile American lobster, Homarus americanus.

Ellwood M J, Hunter K A, Kim J P Zinc speciation in Lakes Manapouri and Hayes, New Zealand. 217

See Fotedar S et al. 1351 and Tsvetnenko E et al. 1407

See McKee L J et al. 235

Feenstra J E

See McGarvey R et al. 1517

See Gillanders B M et al. 179

Fischetti M

See Daniel P C et al. 1333

Ford P W

See Webster I T et al. 127

Ford W

Restructing the Tasmanian rock-lobster fishery - the effect of two years of management under individual transferable quotas, 1641

Forman J S

See Booth J D et al. 1067

Forteath G N R

See Crear B J et al. 763

Fotedar S, Tsvetnenko E, Evans L Effect of air exposure on the immune system of the rock lobster Panulirus cygnus. 1351 See also Tsvetnenko E et al. 1407

Fournier D A

See Hampton J et al. 937

Foy R H

See Heaney S I et al. 151

Francis MP, Griggs LH, Baird SJ Pelagic shark bycatch in the New Zealand tuna longline fishery. 165

Frusher S D, Hoenig J M

Strategies for improving the precision of fishing and natural mortality estimates from multiyear tagging models: a case study. 1649

See also Gardner C et al. 1271

Fuentes-Yaco C, Salas de León D A, Monreal-Gómez M A, Vera-Herrera F Environmental forcing in a tropical estuarine ecosystem: the Palizada River in the southern Gulf of Mexico. 735

Galea H

See Young J W et al. 463

Gardner C

Composition of eggs in relation to embryonic development and female size in giant crabs [*Pseudocarcinus gigas* (Lamarck)]. 333

Gardner C, Frusher S D, Kennedy R B, Cawthorn A Relationship between settlement of southern rock lobster pueruli, *Jasus edwardsii*, and recruitment to the fishery in Tasmania, Australia. 1271

Gibson D J See Baird A H et al. 865

Gilfedder M

See Jolly I D et al. 53

Gillanders B M, Ferrell D J, Andrew N L Estimates of movement and life history parameters of yellowtail kingfish (*Seriola lalandi*): how useful are data from a cooperative tagging programme? 179

Goñi R, Reñones O, Quetglas A
Dynamics of a protected Western
Mediterranean population of the European
spiny lobster *Palinurus elephas* (Fabricius,
1787) assessed by trap surveys. 1577

Goodreid A See Simpfendorfer C A et al. 975

Gopinathan C K

See Unnikrishnan A S et al. 727

Graham K J, Andrew N L , Hodgson K E
Changes in relative abundance of sharks
and rays on Australian South East Fishery
trawl grounds after twenty years of
fishing. 549

Gray C A

Spatial variation in by-catch from a prawn seine-net fishery in a south-east Australian coastal lagoon. 987

Gray D J

See Britt A F et al. 25

Grieve C, Richardson G

Recent history of Australia's South East Fishery; a manager's perspective. 377

Griffin D A, Wilkin J L, Chubb C F, Pearce A F, Caputi N Ocean currents and the larval phase of Australian western rock lobster, *Panulirus* 

cygnus. 1187 See also Prince J D et al. 611

Griffiths D J

See Saker M L et al. 907

Griggs L H

See Francis M P et al. 165

Grobler C A F, Ndjaula H O N

Namibian *Jasus lalandii* recruitment: size, weight and growth of pueruli and early juveniles. 1277

Haddon M

See Punt A E et al. 701

Haine O S, Ridd P V, Rowe R J Range of electrosensory detection of prey by Carcharhinus melanopterus and Himantura granulata. 291 Hall N. Chubb C

The status of the western rock lobster, Panulirus cygnus, fishery and the effectiveness of management controls in increasing the egg production of the stock.

Hamilton D P

See Chan T U et al. 869

Hampton J, Fournier D A

A spatially disaggregated, length-based, age-structured population model of yellowfin tuna (*Thunnus albacares*) in the western and central Pacific Ocean. 937

Hancock G

See Webster I T et al. 127

Hanelt D

See Rae R et al. 1023

Harris G P

Frontiers in catchment biogeochemistry: introduction to a collection of papers. 1 Biogeochemistry of nitrogen and phosphorus in Australian catchments, rivers and estuaries: effects of land use and flow regulation and comparisons with global patterns. 139

Harrison P J H, Cate H S, Steullet P, Derby C

Structural plasticity in the olfactory system of adult spiny lobsters: postembryonic development permits lifelong growth, turnover, and regeneration.

Hart P R

See Phleger C F et al. 1475

Hawes I

See Rae R et al. 1023

Hazell R W A, Cockcroft A C, Mayfield S, Noffke M Factors influencing the growth rate of juvenile rock lobsters, *Jasus Ialandii*. 1367

Hazin F H V

See Mattos S M G et al. 745

He X

See Bulman C et al. 537 and Punt A E et al. 701

Heaney S I, Foy R H, Kennedy G J A, Crozier W W, O'Connor W C K Impacts of agriculture on aquatic systems: lessons learnt and new unknowns in Northern Ireland. 151

Herczeg A L, Dogramaci S S, Leaney F W J
Origin of dissolved salts in a large, semiarid groundwater system: Murray Basin,
Australia. 41

Herrnkind W F, Childress M J, Lavalli K L
Cooperative defence and other benefits
among exposed spiny lobsters: inferences
from group size and behaviour. 1113
See also Ptacek M B et al. 1037
and Childress M J et al. 1077
and Butler M J IV et al. 1243

Hobday D, Punt A E

Size-structured population modelling and

risk assessment of the Victorian southern rock lobster, *Jasus edwardsii*, fishery. 1495

Hodgson K E

See Graham K J et al. 549

Hoenig J M

See Frusher S D et al. 1649

Horn P L

Validated ageing methods for blue warehou (Sertolella brama) and white warehou (S. caerulea) in New Zealand waters. 297

Horner A J

See Derby C D et al. 1339

Horton D

See Jones C M et al. 1425

Horwitz P

See Sommer B et al. 1015

Hossain S

See McKee L J et al. 235

Howell H

See Jury S et al. 1125

Hunt J

See Butler M J IV et al. 1243

Hunter K A

See Ellwood M J et al. 217

Inoue N, Sekiguchi H

Distribution of late-stage phyllosoma larvae of *Panulirus japonicus* in the Kuroshio Subgyre. 1201

Jackson T L

See Yeung C et al. 1217

Jakeman A J

See Croke B F W et al. 65

James P J, Tong L J, Paewai M P
Effect of stocking density and shelter on
growth and mortality of early juvenile
Jasus edwardsii held in captivity. 1413
See also Jeffs A G et al. 1419

Jeffs A G, Chiswell S M, Booth J D
Distribution and condition of pueruli of
the spiny lobster *Jasus edwardsii* offshore
from north-east New Zealand. 1211

Jeffs A G, James P
Sea-cage culture of the spiny lobster *Jasus*edwardsii in New Zealand. 1419
See also Phleger C F et al. 1475

Johnston D J, Ritar A

Mouthpart and foregut ontogeny in
phyllosoma larvae of the spiny lobster

Jasus edwardsii (Decapoda: Palinuridae).

Jolly I D, Williamson D R, Gilfedder M, Walker G R, Morton R, Robinson G, Jones H, Zhang L, Dowling T I, Dyce P, Nathan R J, Nandakumar N, Clarke R, McNeill V

Historical stream salinity trends and catchment salt balances in the Murray–Darling Basin, Australia. 53

Jones C M, Linton L, Horton D, Bowman W Effect of density on growth and survival of ornate rock lobster, Panulirus ornatus (Fabricius, 1798), in a flow-through raceway system. 1425

Iones D I

See Yeung C et al. 1217

Jones H

See Jolly 1 D et al. 53

Jonnes D M

See Mattos S M G et al. 745

Jordan A R

Reproductive biology, early life-history and settlement distribution of sand flathead (Platycephalus bassensis) in

Tasmania. 589

Age, growth and spatial and interannual trends in age composition of jackass morwong, Nemadactylus macropterus, in Tasmania, 651

Spatial and temporal variations in abundance and distribution of juvenile and adult jackass morwong, Nemadactylus macropterus, in south-eastern Tasmania.

Jørstad K E, Agnalt A-L, Kristiansen T S, Nastvold F.

High survival and growth of european lobster juveniles (Homarus gammarus) reared communally on a natural-bottom substrate. 1431

Jury S, Howell H, O'Grady D, Watson W Lobster Trap Video: in situ video surveillance of the behaviour of Homarus americanus in and around traps. 1125 See also O'Grady D F et al. 1387

Kanemaru K

See Kittaka J et al. 1439

Kelly S

Temporal variation in the movement of the spiny lobster Jasus edwardsii. 323

Kennedy GJA

See Heaney S I et al. 151

Kennedy R B

See Gardner C et al. 1271

Kenvon R A

See Manson F J et al. 787

Keser M See Landers D F Jr et al. 1283

Kim IP

See Ellwood M J et al. 217

Kittaka J, Kudo R, Onoda S, Kanemaru K, Mercer J P

Larval culture of the European spiny lobster Palinurus elephas. 1439

Klaer N I

Steam trawl catches from south-eastern Australia from 1918 to 1957; trends in catch rates and species composition. 399

Kloser R J, Bax N J, Ryan T, Williams A, Barker B A

Remote sensing of seabed types in the Australian South East Fishery; development and application of normal incident acoustic techniques and

associated 'ground truthing'. 475 See also Young J W et al. 463

Knuckey I A, Sivakumaran K P Reproductive characteristics and perrecruit analyses of blue warehou (Seriolella brama): implications for the South East Fishery of Australia. 575 See also Cui G et al. 691

Koziumi N

See Baird A H et al. 865

Kraft G T

See Chiovitti A et al. 917

Kristiansen T S

See Jorstad K E et al. 1431

Kudo R

See Kittaka J et al. 1439

Lamb T D

See Young J W et al. 463

Landers D F Jr, Keser M, Saila S B Changes in female lobster (Homarus americanus) size at maturity and implications for the lobster resource in Long Island Sound, Connecticut. 1283

Larcombe J W P, McLoughlin K J, Tilzey R

Trawl operations in the South East Fishery, Australia: spatial distribution and intensity. 419

Lavalli K L, Spanier E

Does gregariousness function as an antipredator mechanism in the Mediterranean slipper lobster, Scyllarides latus? 1133 See also Herrnkind W F et al. 1113

Leaney F W J

See Herczeg A L et al. 41

Liao M-L

See Chiovitti A et al. 917

Likens G E

Biogeochemistry, the watershed approach: some uses and limitations. 5

Linnane A

See Mercer J P et al. 1291

Lintermans M

Corrigendum to: Recolonization by the mountain galaxias Galaxias olidus of a montane stream after the eradication of rainbow trout Oncorhynchus mykiss. 257

Linton L.

See Jones C M et al. 1425

Lipcius R N, Stockhausen W T, Eggleston D

Marine reserves for Caribbean spiny lobster: empirical evaluation and theoretical metapopulation recruitment dynamics 1589

See also Stockhausen W T et al. 1605 Loneragan N R

See Manson F J et al. 787 Losada F

See Losada-Tosteson V et al.

Losada-Tosteson V, Posada J M Using tyres as shelters for the protection of juvenile spiny lobsters, Panulirus argus, or as a fishing gear for adults. 1445

Losada-Tosteson V, Posada J M, Losada F Size and reproductive status of fished spotted spiny lobster, Panulirus guttatus, in Morrocoy National Park, Venezuela: a preliminary report. 1599

Lovewell S

See Mercer J P et al. 1291

Lozano-Álvarez E, Briones-Fourzán P Den choice and occupation patterns of shelters by two sympatric lobster species, Panulirus argus and Panulirus guttatus, under experimental conditions. 1145

Lyle J M

See Punt A E et al. 701

MacDiarmid A B

See Oliver M D et al. 1395

Mackay C F, Cyrus D P

Is freshwater quality adequately defined by physico-chemical components? Results from two drought-affected estuaries on the east coast of South Africa.

Manson F J, Loneragan N R, McLeod I M, Kenvon R A

Assessing techniques for estimating the extent of mangroves: topographic maps, aerial photographs and Landsat TM images. 787

Marquis C P

See Baird A H et al. 865

Marsden I D, Wong C H T

Effects of sediment copper on a tubedwelling estuarine amphipod, Paracorophium excavatum. 1007

Matsuda H, Takenouchi T, Yamakawa T Effects of temperature on pigmentation and duration of the puerulus stage in Panulirus japonicus metamorphosed from cultured phyllosomas, with reference to wild pueruli. 1451

Matthews T R

Trap-induced mortality of the spiny lobster, Panulirus argus, in Florida, USA.

See also Bertelsen R D et al. 1559 Mattos S M G, Broadhurst M K, Hazin F H

V, Jonnes D M Reproductive biology of the Caribbean sharpnose shark, Rhizoprionodon porosus, from northern Brazil. 745

May B M

See Attiwill P M et al. 111

Mayfield S, de Beer E, Branch G M Prey preference and the consumption of sea urchins and juvenile abalone by captive rock lobsters (Jasus lalandii).

See also Hazell R W A et al. 1367 Mazzoni D

See Mercer J P et al. 1291

McAuley R B

See Simpfendorfer C A et al. 975

McGarvey R, Feenstra J E

Estimating length-transition probabilities as polynomial functions of premoult length. 1517

McIntosh A R

See Thompson R M et al. 339

McKee L J, Eyre B D, Hossain S, Pepperell P R

Influences of climate, geology and humans on spatial and temporal nutrient geochemistry in the subtropical Richmond River catchment, Australia. 235

McLeod I M

See Manson F J et al. 787

McLoughlin K J

See Larcombe J W P et al. 419

McNeill V

See Jolly I D et al. 53

Melville-Smith R, Anderton S M, Caputi N
Predicting the recreational western rock
lobster (*Panulirus cygnus*) catch in
Western Australia. 1527
See also Phillips B F et al. 1465

Mercer J P, Bannister R C A, van der Meeren G I, Debuse V, Mazzoni D, Lovewell S, Browne R, Linnane A, Ball B An overview of the LEAR (Lobster Ecology and Recruitment) project: results of field and experimental studies on the juvenile ecology of *Homarus gammarus* in cobble. 1291

See also Kittaka J et al. 1439 Miracle M R

See Camacho A et al. 805

Monreal-Gómez M A M

See Fuentes-Yaco C et al. 735

Mooney B D

See Phleger C F et al. 1475

See Phlege Moran C J

See Prosser I P et al. 81

Moreno J L, Aboal M, Vidal-Abarca M R, Suárez M L

Macroalgae and submerged macrophytes from fresh and saline waterbodies of ephemeral steams ('ramblas') in semiarid south-eastern Spain. 891

Morison A K, Rowling K R
Age, growth and mortality of redfish
Centroberyx affinis. 637

Morton R

See Jolly I D et al. 53

Moss G A, Tong L J, Allen S E

Effect of temperature and food ration on
the growth and survival of early and mid-

the growth and survival of early and mi stage phyllosomas of the spiny lobster Jasus verreauxi. 1459

Mulcahy D E

See Page D W et al. 223

Murty V S N

See Unnikrishnan A S et al. 727

Nandakumar N See Jolly I D et al. 53 Nathan R J

See Jolly 1 D et al. 53

Ndjaula HON

See Grobler C A F et al. 1277

Neira F J

See Bruce B D et al. 631

Nelson M M

See Phleger C F et al. 1475

Newell S Y

Fungal biomass and productivity in standing-decaying leaves of black needlerush (*Juncus roemerianus*). 249

Newman S J, Williams D McB
Spatial and temporal variation in
assemblages of Lutjanidae, Lethrinidae
and associated fish species among midcontinental shelf reefs in the central Great
Barrier Reef. 843

Nichols P D

See Phleger C F et al. 1475

Nickus U

See Aldrich A P et al. 885

Noffke M

See Hazell R W A et al. 1367

Nøstvold E

See Jørstad K E et al. 1431

O'Connor W C K

See Heaney S I et al. 151

O'Donovan V

See Wahle R A et al. 1157

O'Grady D F, Jury S H, Watson W H III Use of a treadmill to study the relationship between walking, ventilation and heart rate in the lobster *Homarus americanus*. 1387

See also Jury S et al. 1125

O'Hara T D

Consistency of faunal and floral assemblages within temperate subtidal rocky reef habitats. 853

Oliver M D, MacDiarmid A B Blood refractive index and ra

Blood refractive index and ratio of weight to carapace length as indices of nutritional condition in juvenile rock lobsters (*Jasus edwardsii*). 1395

Ollier C D

Evolution of the Australian landscape. 13

Olly J M

See Prosser I P et al. 81

Onoda S

See Kittaka J et al. 1439

Paewai M P

See James P J et al. 1413

Page D W, van Leeuwen J A. Spark K M, Mulcahy D E

Tracing terrestrial compounds leaching from two reservoir catchments as input to dissolved organic matter. 223

Palha de Sousa B

Fishery for the deep-water spiny lobster Palimurus delagoae in Mozambique, 1980 to 1999. 1535 Pankhurst N W

Stress inhibition of reproductive endocrine processes in a natural population of the spiny damselfish *Acanthochromis* polyacanthus. 753

Pearce A F

See Caputi N et al. 1167 and Griffin D A et al. 1187

Pepperell P R

See McKee L J et al. 235

Perez-Enriquez R, Vega A, Avila S, Sandoval J L

Population genetics of red spiny lobster (*Panulirus interruptus*) along the Baja California Peninsula, Mexico. 1541

Phillips B F, Melville-Smith R, Cheng Y W, Rossbach M Testing collector designs for commercial

harvesting of western rock lobster (*Panulirus cygnus*) puerulus. 1465

Phleger C F, Nelson M M, Mooney B D, Nichols P D, Ritar A J, Smith G G, Hart P R, Jeffs A G

Lipids and nutrition of the southern rock lobster, *Jasus edwardsii*, from hatch to puerulus. 1475

Pitcher C R

See Dennis D M et al. 1175

Porter L, Butler M, Reeves R H Normal bacterial flora of the spiny lobster Panulirus argus and its possible role in

shell disease. 1401 Posada J M

See Losada-Tosteson V et al. 1445 and Losada-Tosteson V et al. 1599 and Yallonardo M et al. 1615

Pratchett M S

See Baird A H et al. 865

Prince J D

Ecosystem of the South East Fishery (Australia), and fisher lore 431

Prince J D. Griffin D A

Spawning dynamics of the eastern gemfish (*Rexea solandri*) in relation to regional oceanography in south-eastern Australia.

Prosser I P, Rutherfurd I D, Olly J M, Young W J, Wallbrink P J, Moran C J Large-scale patterns of erosion and sediment transport in river networks, with examples from Australia. 81 Corrigendum to: Large-scale patterns of erosion and sediment transport in river networks, with examples from Australia.

Ptacek M B, Sarver S K, Childress M J, Herrnkind W F Molecular phylogeny of the spiny lobster genus *Panulirus* (Decapoda: Palinuridae).

Punt A E, Smith D C

Assessments of species in the Australian South East Fishery can be sensitive to the method used to convert from size- to agecomposition data. 683

Punt A E, Smith A D M, Cui G
Review of progress in the introduction of
management strategy evaluation (MSE)
approaches in Australia's South East
Fishery 719

Punt A E, Smith D C, Thomson R B, Haddon M, He X, Lyle J M
 Stock assessment of the blue grenadier Macruronus novaezelandiae resource off south-eastern Australia. 701

Punt A E, Campbell R A, Smith A D M
Evaluating empirical indicators and
reference points for fisheries
management: application to the broadbill
swordfish fishery off eastern Australia.
819
See also Smith D C et al. 671

and Cui G et al. 691 and Hobday D K et al. 1495

Quetglas A See Goñi R et al. 1577

Rae R, Hanelt D, Hawes I
Sensitivity of freshwater macrophytes to
UV radiation: relationship to depth
zonation in an oligotrophic New Zealand
lake. 1023
Reeves R H

See Porter L et al. 1401 Reilly A See Ward R D et al. 965

Renones O
See Goñi R et al. 1577

Richards W J See Yeung C et al. 1217

Richardson G See Grieve C et al. 377

Ridd P V See Haine O S et al. 291

See Johnston D J et al. 1375 and Phleger C F et al. 1475 Robinson G

See Jolly I D et al. 53
Rosales-Hoz L, Carranza-Edwards A
Geochemistry of deep-sea sediment cores
and their relationship with polymetallic
nodules from the north-eastern Pacific.
259

Rossbach M See Phillips B F et al. 1465 Rowe R J See Haine O S et al. 291

Rowling K R
Comment on 'Spawning dynamics of the eastern gemfish (*Rexea solundri*) in relation to regional oceanography in south-eastern Australia'. 623
See also Tilzey R D J et al. 361
and Morison A K et al. 637

Rutherfurd I D See Prosser I P et al. 81 Ryan T See Kloser R J et al. 475

Salia S B See Landers D F Jr et al. 1283 Saker M L, Griffiths D J

Occurrence of blooms of the cyanobacterium *Cylindrospermopsis* raciborskii (Woloszyńska) Seenayya and Subba Raju in a north Queensland domestic water supply. 907

Salas de León D A

See Fuentes-Yaco C et al. 735
Sandoval J L.

See Perez-Enriquez R et al. 1541

Sarver S K See Ptacek M B et al. 1037 Schweizer D M

See Yallonardo M et al. 1615

Sekiguchi H See Inoue N et al. 1201 Shepherd S A, Clarkson P S

Diet, feeding behaviour, activity and predation of the temperate blue-throated wrasse, *Notolabrus tetricus*. 311

Shineman M See Daniel P C et al. 1333

Simpfendorfer C A, Goodreid A, McAuley R B Diet of three commercially important

shark species from Western Australian waters. 975

Sivakumaran K P See Knuckey I A et al. 575 Skewes T D

See Dennis D M et al. 1175 Smith A D M, Smith D C

A complex quota-managed fishery: science and management in Australia's South East Fishery. 353
See also Smith D C et al. 671
and Punt A E et al. 719

and Punt A E et al. 819
Smith D C, Smith A D M, Punt A E
Approach and process for stock
assessment in the South East Fishery,

Australia: a perspective. 671 See also Smith A D M et al. 353 and Punt A E et al. 683 and Punt A E et al. 701

Smith G G See Phleger C F et al. 1475

Smith R E See Britt A F et al. 25 Smith S J

See Tremblay M J et al. 1321

Solow A R See Cowan D F et al. 1095

Sommer B, Horwitz P
Water quality and macroinvertebrate
response to acidification following
intensified summer droughts in a Western
Australian wetland. 1015

Spanier E

See Lavalli K L et al. 1133

Spark K M

See Page D W et al. 223 Steneck R S, Wilson C J

Large-scale and long-term, spatial and temporal patterns in demography and landings of the American lobster, Homarus americanus, in Maine. 1303

Steullet P

See Derby C D et al. 1339 and Harrison P J H et al. 1357

Stockhausen W T, Lipcius R N Single large or several small marine reserves for the Caribbean spiny lobster? 1605

See also Lipcius R N et al. 1589

Stotter D R See Booth J D et al. 1067

Suárez M L

See Moreno J L et al. 891 Sutton C A

See Bruce B D et al. 603

Takenouchi T See Matsuda H et al. 1451 Thies H

See Aldrich A P et al. 885 Thomson R B

See Punt A E et al. 701
Thompson R M, Edwards E D, McIntosh A R, Townsend C R
Allocation of effort in stream food-web

studies: the best compromise? 339
Tilzey R D J, Rowling K R
History of Australia's South East Fishery:
a scientist's perspective. 361
See also Larcombe J W P et al. 419

Tong L J
See James P J et al. 1413
and Moss G A et al. 1459
Townsend C R

See Thompson R M et al. 339 Tremblay M J, Smith S J

Lobster (Homarus americanus) catchability in different habitats in late spring and early fall. 1321 Trnski T

Diel and tidal abundance of fish larvae in a barrier-estuary channel in New South Wales. 995

Tsvetnenko E, Fotedar S, Evans L Antibacterial activity in the haemolymph of western rock lobster, *Panulirus cygnus*. 1407

See also Fotedar S et al. 1351

Tully O

Impact of the v-notch technical conservation measure on reproductive potential in a lobster (*Homarus gammarus* L.) fishery in Ireland. 1551

See also Wahle R A et al. 1157

Udy J W, Bunn S E Elevated <sup>15</sup>N values in aquatic plants from cleared catchments: why? 347

Unnikrishnan A S, Murty V S N, Babu M T, Gopinathan C K, Charyulu R J K Anomalous current structure in the eastern equatorial Indian Ocean during the southwest monsoon of 1994. 727

Uthicke S

Influence of asexual reproduction on the structure and dynamics of *Holothuria* (*Halodeima*) atra and *Stichopus* chloronotus populations of the Great Barrier Reef 205

van den Berg C M G See Aldrich A P et al. 885

van der Meeren G I

Effects of experience with shelter in hatchery-reared juvenile European lobsters *Homarus gammarus*. 1487 *See also* Mercer J P *et al*. 1291

van Leeuwen J A See Page D W et al. 223

Vega A

See Perez-Enriquez R et al. 1541

Vera-Herrera F

See Fuentes-Yaco C et al. 735

Vicente E

See Camacho A et al. 805

Vidal-Abarca M R

See Moreno J L et al. 891

Villarroel J C, Acuña E H, Andrade M J Feeding and distribution of the bigeye flounder *Hippoglossina macrops* off Northern Chile. 833

Wahle R A, Tully O, O'Donovan V Environmentally mediated crowding effects on growth, survival and metabolic rate of juvenile American lobsters (Homarus americanus). 1157 See also Castro K M et al. 1253

Walker G R See Jolly I D et al. 53

Wallbrink P J See Prosser I P et al. 81

Ward R D, Elliott N G

Genetic population structure of species in the South East Fishery of Australia. 563

Ward R D, Appleyard S A, Daley R K, Reilly

Population structure of pink ling (*Genypterus blacodes*) from south-eastern Australian waters, inferred from allozyme and microsatellite analyses. 965

Ward T M

Age structures and reproductive patterns of two species of sea snakes, *Lapemis hardwickii* Grey (1836) and *Hydrophis elegans* (Grey 1842), incidentally captured by prawn trawlers in northern Australia.

Watson W H III See Jury S et al. 1125

and O'Grady D F et al. 1387 Webster I T, Ford P W, Hancock G Phosphorus dynamics in Australian

lowland rivers. 127 Wells R M G

See Dunphy B J et al. 781

Whitfield A K

See Cowley P D et al. 283

Wilkin J L

See Griffin D A et al. 1187

Williams A, Bax N J

Delineating fish-habitat associations for spatially based management: an example

from the south-eastern Australian continental shelf. 513 See also Kloser R J et al. 475 and Bax N J et al. 491 and Bulman C et al. 537

Williams D McB

See Newman S J et al. 843

Williamson D R

See Jolly I D et al. 53 Wilson C J

See Steneck R S et al. 1303

Wong C H T See Marsden I D et al. 1007

Yallonardo M, Posada J M, Schweizer D M

Current status of the spiny lobster. Panulirus argus, fishery in the Los Roques Archipelago National Park, Venezuela. 1615

Yamakawa T

See Matsuda H et al. 1451

Yeung C, Jones D L, Criales M M, Jackson T L, Richards W J Influence of coastal eddies and countercurrents on the influx of spiny lobster, Panulirus argus, postlarvae into Florida Bay. 1217

Young J W, Bradford R, Lamb T D, Clementson L A, Kloser R, Galea H Yellowfin tuna (*Thunnus albacares*) aggregations along the shelf break off south-eastern Australia: links between inshore and offshore processes. 463

Young W J

See Prosser I P et al. 81

Zhang L

See Jolly I D et al. 53



